




FRESH RECOLLECTION

With so many different international sizes, we realise that you may not know which ring size you are under the US size system. Whether you are buying the ring for someone else or yourself, this is a simple guide to help you decide which ring size will fit.

METHOD 1 : MEASURE AN EXISTING RING

1. Select an existing ring that fits your desired finger. Your ring should fit your finger comfortably enough so that it will not fall off, but loose enough to slide over your knuckle. Engagement and wedding rings are usually worn on the ring finger of the left hand. If you are purchasing a ring as a surprise, choose a ring your significant other wears often.
2. Print this page on standard A4 paper, ensuring that page scaling is set to “None” in your print options. Measure the bar below and make sure it measures exactly 30mm.
3. Place the ring over the circles below until the inside circumference of the ring matches a specific circle. The measurement refers to the inside diameter of the ring. If your ring falls in between two sizes, opt for the larger size. A wider band may require a slightly larger ring size. When measuring your ring, your measurements need to be a 100% accurate as even a fraction of a millimeter can make a difference





FRESH RECOLLECTION

METHOD 2 : CONVERT FROM INTERNATIONAL SIZES

If you already know your ring size from your country metric system, determine your ring size use our International ring size conversion chart table in MM or Inches for different countries. If you can't find your size, feel free to contact our customer services.

INSIDE DIAMETER		USA CANADA MEXICO	UK IRELAND AUSTRALIA NEW ZEALAND SOUTH AFRICA	GERMANY FRANCE	SPAIN ITALY	JAPAN CHINA INDIA S. AMERICA
MM	INCHES					
15 mm	0.59	4	H	46.8	6,5	7
15.3 mm	0.6	4.5	I	48	8	8
15.6 mm	0.62	5	J	49.3	9,5	9
16.2 mm	0.63	5.5	K	50.6	10,5	10
16.6 mm	0.65	6	L	51.9	12	11
16.9 mm	0.67	6.5	M	53.1	13,5	13
17.2 mm	0.68	7	N	54.4	14,5	14
17.8 mm	0.7	7.5	O	55.7	16	15
18.1 mm	0.71	8	P	57	17	16
18.5 mm	0.73	8.5	Q	58.3	18,5	17
19.1 mm	0.75	9	R	59.5	20	18
19.4 mm	0.76	9.5	S	60.8	21	19
19.7 mm	0.78	10	T	62.1	22,5	20
20.4 mm	0.79	10.5	U	63.4	23,5	22
20.7 mm	0.81	11	V	64.6	25	23
21.0 mm	0.83	11.5	W	65.9	26	24
21.6 mm	0.84	12	X	67.2	27,5	25
22.0 mm	0.86	12.5	Y	68.5	29	26
22.3 mm	0.87	13	Z	69.7	30	27
22.9 mm	0.89	13.5	Z+2	71	32	-